




Model Number	Resonant Frequency (KHz ± 0.5)	Resonant Resistance (Ωmax.)	Electrostatic Capacity (pF ± 30%)	Max. Input Voltage (Vp-p Max.)	Material	Dimension (mm)			
						D ± 0.1	d	t	T
KBIG1245F	4.5 ± 1.0	1,000	16,000	20	(b) Alloy	12	9 ± 0.3	0.05 ± 0.03	0.10 ± 0.05
KBIG1256	5.6 ± 1.0	1,000	15,000	20	(a) Brass	12	9 ± 0.5	0.05 ± 0.01	0.12 ± 0.03
KBIG1548	4.8	1,500	11,000	20	(a) Brass	15	9 ± 0.5	0.10 ± 0.05	0.22 ± 0.05
KBIG2020	2.0	300	90,000	20	(a) Alloy	20	15 ± 0.3	0.05 ± 0.03	0.13 ± 0.05
KBIG2036F	3.7	500	20,000	30	(b) Alloy	20	15 ± 0.3	0.10 ± 0.02	0.21 ± 0.05
KBIG2038F	3.8	350	17,000	30	(b) Brass	20	15 ± 0.5	0.15 ± 0.03	0.28 ± 0.10
KBIG2040	4.0 ± 0.3	250	26,000	20	(a) Brass	20	15 ± 0.2	0.10 ± 0.02	0.22 ± 0.05
KBIG2064F	6.4	400	10,000	30	(b) Brass	20	15 ± 0.3	0.20 ± 0.02	0.28 ± 0.10
KBIT2065	6.5 ± 1.0	300	12,000	20	(a) Brass	20	15 ± 0.3	0.20 ± 0.02	0.41 ± 0.07
KBIG2720	2.0	300	45,000	30	(a) Brass	27	20 ± 0.5	0.10 ± 0.03	0.23 ± 0.10
KBIG2720F	2.0	500	35,000	30	(b) Brass	27	20 ± 0.3	0.10 ± 0.05	0.23 ± 0.10
KBIG2728	2.8	300	30,000	30	(a) Brass	27	20 ± 0.5	0.15 ± 0.03	0.33 ± 0.10
KBIG2734	3.4	1,000	13,000	30	(a) Brass	27	14.6 ± 0.5	0.30 ± 0.05	0.53 ± 0.10
KBIG2737F	3.7	400	20,000	20	(b) Brass	27	20 ± 0.4	0.20 ± 0.02	0.41 ± 0.05
KBIG2745F	4.5	500	16,000	20	(b) Brass	27	20 ± 0.4	0.25 ± 0.02	0.51 ± 0.07
KBIG2746	4.6	250	16,000	20	(a) Brass	27	20 ± 0.3	0.25 ± 0.02	0.51 ± 0.07
KBIG3113	1.3	500	43,000	30	(a) Alloy	31	20 ± 0.5	0.10 ± 0.03	0.23 ± 0.10
KBIG3526	2.6	300	30,000	30	(a) Brass	35	25 ± 0.5	0.25 ± 0.05	0.53 ± 0.10
KBIG3529F	2.9	500	25,000	30	(b) Brass	35	25 ± 0.5	0.30 ± 0.05	0.58 ± 0.10
KBIG4110	0.8 ± 0.3	1,000	70,000	20	(a) Alloy	41	25 ± 0.4	0.10 ± 0.02	0.21 ± 0.05
KBIG4406	0.6 ± 0.3	1,000	70,000	20	(a) Brass	44	25 ± 0.4	0.10 ± 0.03	0.23 ± 0.10
KBIG5010	1.0	800	60,000	30	(a) Brass	50	30 ± 0.5	0.20 ± 0.02	0.40 ± 0.05

(a) Standard type




(b) Feedback type




Tol: ± 0.5 Unit: mm

(a) Standard type



(b) Feedback type



Note: Wire Soldering Service Available

Tol: ± 0.5 Unit: mm