

TRMS 1000 Aac/dc clamp meter

DCM4000T



- Measurements: AC/DC Voltage, AC/DC Current, frequency, Capacitance, and resistance
- True RMS measurement (TRMS)
- Diode and continuity test
- Non-contact voltage detection
- Automatic range
- 6000 counts
- Max/Min values
- Relative measurement
- Auto-off and low battery indicator
- CAT IV conforms EN 61010

CE

UK
CA



6000

TRMS



TRMS 1000 Aac/dc clamp meter

General	
Display	6000 counts
Auto power off	✓
Backlight	✓
HOLD	✓
Diode and continuity test	✓
Auto-ranging	✓
MIX/MAX/REL	✓
NCVD	✓
Jaw size	40m
Worklight	✓
Dimensions	130x255x60mm
Weight	765g
Power Supply	LR03, 3x1,5V AAA
Standars	EC 61010-1, IEC/EN61010-2-033
Safety rating	CAT IV 600V, CAT III 1000V
Accesories included	Test leads, user manual, calibration, Type-K Temperature probe certificate, batteries and bag

DCM4000T

TRMS 1000 Aac/dc clamp meter

Specs.	
TRMS measurements	✓
DC Voltage	1000V
AC Voltage	750V
AC Current	1000A
DC Current	1000A
Resistance	20MΩ
Diode Test	✓
Frecuency	60kHz
Duty Cycle	✓
Capacitance	6mF
Continuity test	✓
Temperature	-50°C / 760°C

Data for ordering	
SKU	KPSDCM4000TCBINT
EAN code	8435394777719
UPC code	810053671986
Pcs/box	30