



# Gewindeschraube DIN 7985

## DIN 7985



### GEOMETRIE




Material: Stahl  
 Oberfläche: verzinkt, blau passiviert

### SORTIMENT

d [mm]	L [mm]	Antrieb	dk [mm]	k [mm]
M 3	6	PZD 1	6,0	2,4
M 3	8	PZD 1	6,0	2,4
M 3	10	PZD 1	6,0	2,4
M 3	12	PZD 1	6,0	2,4
M 3	16	PZD 1	6,0	2,4
M 3	20	PZD 1	6,0	2,4
M 3	25	PZD 1	6,0	2,4
M 3	30	PZD 1	6,0	2,4
M 4	6	PZD 2	8,0	3,1
M 4	8	PZD 2	8,0	3,1
M 4	10	PZD 2	8,0	3,1
M 4	12	PZD 2	8,0	3,1
M 4	16	PZD 2	8,0	3,1
M 4	20	PZD 2	8,0	3,1
M 4	25	PZD 2	8,0	3,1
M 4	30	PZD 2	8,0	3,1
M 4	35	PZD 2	8,0	3,1
M 4	40	PZD 2	8,0	3,1
M 4	45	PZD 2	8,0	3,1

# Gewindeschraube DIN 7985

## DIN 7985




d [mm]	L [mm]	Antrieb	dk [mm]	k [mm]
M 4	50	PZD 2	8,0	3,1
M 5	8	PZD 2	10,0	3,8
M 5	10	PZD 2	10,0	3,8
M 5	12	PZD 2	10,0	3,8
M 5	16	PZD 2	10,0	3,8
M 5	20	PZD 2	10,0	3,8
M 5	25	PZD 2	10,0	3,8
M 5	30	PZD 2	10,0	3,8
M 5	35	PZD 2	10,0	3,8
M 5	40	PZD 2	10,0	3,8
M 5	50	PZD 2	10,0	3,8
M 5	60	PZD 2	10,0	3,8
M 6	10	PZD 3	12,0	4,6
M 6	12	PZD 3	12,0	4,6
M 6	16	PZD 3	12,0	4,6
M 6	20	PZD 3	12,0	4,6
M 6	25	PZD 3	12,0	4,6
M 6	30	PZD 3	12,0	4,6
M 6	35	PZD 3	12,0	4,6
M 6	40	PZD 3	12,0	4,6
M 6	45	PZD 3	12,0	4,6
M 6	50	PZD 3	12,0	4,6
M 6	60	PZD 3	12,0	4,6
M 6	70	PZD 3	12,0	4,6
M 6	80	PZD 3	12,0	4,6
M 6	90	PZD 3	12,0	4,6
M 6	100	PZD 3	12,0	4,6

# Gewindeschraube DIN 7985

## DIN 7985

---



### EINSATZBEREICH

Montage in vorgefertigtem Gewinde oder in Verbindung mit einer Mutter.

Rahmengestelle, Modellbau

---