



USB 3.0 to Gigabit Ethernet Network Adapter **UE300**

Highlights

- •
- Note: Driver required for Mac OS X (10.5-10.8).
- •





Ethernet

Windows

Fastest USB 3.0 and Gigabit solution ensure high speed transfer rate.

Plug and Play in Windows (XP/Vista/7/8/8.1), Mac OS X (10.9/10.10), Linux OS.

Foldable and Portable design ideally suits your Ultrabook, MacBook Air or desktop.

* USB 3.0 is compatible with USB 2.0 and 1.1



Features



High Speed

 USB 3.0 & Gigabit – Equipped with USB 3.0 ports and Gigabit Ethernet port, UE300 provides a high speed data transfer rate



Portable Devices

• **Compact Design** – Compact design with a retractable cable makes it an ideal on the go

TP-LINK[®]



Plug and Play

• User Friendly – Plug and play, enjoy the most stable and rapid Internet

Specifications

Basic

Dimentions: 2.8 x 1.0 x 0.6 in. (71 x 26 x 16.2mm)

Chipset: RTL8153

Interface: 1 10/100/1000Mbps RJ45 Ethernet Port

1 USB 3.0 Port

Package Contents

- · USB 3.0 to Gigabit Ethernet Network Adapter
- · Quick Installation Guide

System Requirements

· Windows XP/Vista/7/8/8.1, Mac OS X 10.5/10.6/10.7/10.8/10.9/10.10/, Linux based system

Others

Certification

- · CE, FCC, RoHS Environment



For more information, please visit

://www.tp-link.com/en/products/details/cat-5062 UE300.html

can the QR code lef

Specifications are subject to change without notice. TP-LINK is a registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies CO., Ltd.

TP-LINK

· Operating Temperature: $0^{\circ}C \sim 40^{\circ}C$ (32°F ~ 104°F) · Storage Temperature: -40°C ~70°C (-40°F ~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

www.tp-link.com

USB 3.0 to Gigabit Ethernet Network AdapterUE300 **UE300**