

LogiLink®



USB-C™ 2-Port Wall Charger, 40W

1 x USB-C™ Port & 1 x USB Port

Art. No.: PA0219

Compact designed for charging an USB-C™ laptop and a smartphone simultaneously. The perfect charging accessory for traveling.



Best Connectivity



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



PA0219



4 052792 057072

Made in China

LogiLink®



USB-C™ 2-Port Wall Charger, 40W

1 x USB-C™ Port & 1 x USB Port

Art. No.: PA0219



1 Charger for 2 Devices

Charge your power-hungry devices with one 30W USB-C port and one 2.1A fast charging USB-A port.



Multiple Protection

Supports overcurrent, overvoltage, overheating and short circuit protections.



PA0219



4 052792 057072

Made in China



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity

LogiLink®

USB-C™ 2-Port Wall Charger, 40W

1 x USB-C™ Port & 1 x USB Port

Art. No.: PA0219



Simultaneous Charging

Charge 2 devices at the optimal speeds at the same time; provides up to 40W in total.



Wide Compatibility

Compatible with most mobile devices: smartphones, tablets, laptops and much more.



PA0219



4 052792 057072

Made in China



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity

LogiLink®



USB-C™ 2-Port Wall Charger, 40W

1 x USB-C™ Port & 1 x USB Port

Art. No.: PA0219

Specification:

Input	100 - 240V AC 50/60Hz 1A max.
Output	USB-A port: 5V/2.1A (10.5W) max. USB-C port: 5V/3A (15W), 9V/3A (27W), 12V/2A(24W), 15V/2A (30W), 20V/1.5A (30W) max.
	<i>*Max. Output 40W</i>
Protections	Overcurrent, overvoltage, overheating and short circuit
Efficiency	Level V
Operating Temperature Range	0~40°C
Storage Temperature Range	-40°C ~ 85°C
Relative Humidity	25% ~ 90% (non-condensing)
Dimension	95 x 57 x 29mm
Weight	86g

Compatible Products from LogiLink:



PA0224

USB-C™ to Microsoft® Surface
Charging Cable

PA0225

USB-C™ to Apple MagSafe®
Charging Cable

PA0226

USB-C™ to Apple MagSafe® 2
Charging Cable



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



PA0219



4 052792 057072

Made in China

LogiLink®



USB-C™ 2-Port Wall Charger, 40W

1 x USB-C™ Port & 1 x USB Port

Art. No.: PA0219



Package Contents:

- » 1 x USB Wall Charger
- » 1 x User Manual

Package Information:

- » Packing Dimension: 138 x 75 x 45mm
- » Packing Weight: 0.125kg
- » Carton Dimension: 465 x 315 x 167mm
- » Carton Q'ty: 40pcs
- » Carton Weight: 5.7kg



PA0219



4 052792 057072

Made in China



RoHS
compliant



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Best Connectivity