# LogiLink

## Wi-Fi LED Candle Light

Art. No.: SH0119

### Build Your Smart Home

Change the room color to match your current mood via free smartphone app using Wi-Fi connection.



# Wi-Fi

2.4 GHz







#### App Remote Control

Wi-Fi LED Candle Light can be controlled through your existing Wi-Fi network via the free *Smart Life* or *Megos Smart Home* app.





Smart Life

**Megos Smart Home** 

Download the free APP from the App Store or Google Play store.








Powered by

tuua


4.2 W

Schedule & Timer




#### Schedule Unique Lightings

Preset brightness and color modes to fit your activity or interior.



#### **Remote Control from Anywhere**

Control your lighting from anywhere with your phone via the app, even if you're not at home.



### Works with Amazon Alexa and Google Home

Manage your lights through voice control to make your life effortless.

#### **Specifications:**

Wireless Standard	IEEE 802.11b/g/n
Wireless Technology	Wi-Fi
Wireless Frequency Range	2,412–2,472 MHz
Max. Transmission Power	49.204 mW
Max. Transmit Antenna Gain	2 dBi
Input Voltage	AC 230 V, 50 Hz
Energy Consumption per 1000 Hour	s 4 kWh
Max. Power Consumption	4.2 W
Color Rendering Index (Ra)	>80 Ra
Light Source	LED
Light Color	Warm to cool white & RGB
Color Temperature	RGB + 3000–6500K
Rated Luminous Flux	330 lm
Lamp Shape	Candle
Lamp Cap Type	E14
Beam Angle	160°
Wattage Equivalent	40 W
Dimmable	Yes
Number of Switching Cycles	50000 switching cycles
Rated Lifetime of Lamp	15000 hours
Operation Distance (In Open Area)	Up to 45 m
Operating Temperature	-20–45°C
Operating Humidity	20–85% RH (non-condensing)
Protection Class	IP20
Material	Plastic
Color	White
Dimensions	Ø3.7 x 11.2 cm
Weight	28 g
System Requirements	Android 5 or above / iOS 11 or above

#### **Package Contents:**

» 1x Wi-Fi LED Candle Light » 1x User Manual

#### **Package Information:**

- » Packing Dimension: 62 x 62 x 120 mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg

